

# AENOR

## Certificate of constancy of performance

# CE

## 0099

### 0099/CPR/A44/0145

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

## ASSA ABLOY Opening Solutions CZ, s.r.o.

registered office BOUDNÍKOVA, 2506/1 BOUDNÍKOVA 2506/1 180 00 PALMOVKA (Praha -  
República Checa)

Construction Product Panic exit devices operated by a horizontal bar

Harmonised Standard EN 1125:2008

References Specified in Annex to the Certificate

Production site 2826-380952

Certification scheme This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

This certificate supersedes A44/000145, dated 2020-07-01

First issued on 2013-07-01  
Modified on 2020-12-15  
Validity date 2021-07-01



Rafael GARCÍA MEIRO  
Chief Executive Officer

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.  
Génova, 6. 28004 Madrid. España  
Tel. 91 432 60 00.- [www.aenor.com](http://www.aenor.com)

Control body accredited by ENAC. Accreditation number: 1/C-PR356

# AENOR

## Certificate of constancy of performance

0099/CPR/A44/0145

### Annex to Certificate

Trade Mark	Series	Model	Category of use	Durability	Door mass	Suitability for use on fire/smoke doors	Safety	Corrosion resistance	Security	Projection of horizontal bar	Type of horizontal bar operation	Field of door application
ASSA ABLOY	PED 200 CROSS BAR	MNAx10xxxxSxxAA & MNAx10xxxxFxxAA	3	7	6	B	1	3	2	2	A	A
	PED 200 CROSS BAR	MNAx0xxxxxxxxAA & MNAx1xxxxxxxxAA & MNAxxxxxxxxZxxAA & MNAxxxxxxxxAxxAA	3	7	6	0	1	3	2	2	A	A
	PED 200/BD	LITE 20	3	7	6	B	1	3	2	2	A	A
	PED 200/1D	LITE 1D	3	7	6	B	1	3	2	2	A	A
	PED 200/3D	LITE 3D	3	7	6	B	1	3	2	2	A	A
	PED 300 PUSH BAR	MNBx10xxxxSxxAA & MNBx10xxxxFxxAA	3	7	6	B	1	3	2	2	B	A
	PED 300 PUSH BAR	MNBx0xxxxxxxxAA & MNBx1xxxxxxxxAA & MNBxxxxxxxxZxxAA & MNBxxxxxxxxAxxAA	3	7	6	0	1	3	2	2	B	A
	PED 300/BD	QUICK 20	3	7	6	B	1	3	2	2	B	A
	PED 300/1D	QUICK 1D	3	7	6	B	1	3	2	2	B	A
	PED 300/3D	QUICK 3D	3	7	6	B	1	3	2	2	B	A
	PED 500 MORTICE CROSS BAR	LITE 1E + 2035T/2037F/4039T	3	7	6	B	1	3	2	2	A	A
	PED 500 MORTICE CROSS BAR	LITE 1E + CF60	3	7	6	B	1	3	2	2	A	A
	PED 500 MORTICE CROSS BAR	LITE1E+ CF32 65	3	7	6	B	1	3	2	2	A	C

First issued on 2013-07-01  
Modified on 2020-12-15  
Validity date 2021-07-01

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.  
Génova, 6. 28004 Madrid. España  
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356

# AENOR

## Certificate of constancy of performance

0099/CPR/A44/0145

### Annex to Certificate

Trade Mark	Series	Model	Category of use	Durability	Door mass	Suitability for use on fire/smoke doors	Safety	Corrosion resistance	Security	Projection of horizontal bar	Type of horizontal bar operation	Field of door application
ASSA ABLOY	PED 500 MORTICE CROSS BAR	LITE 1E + 2230PA/2240BA	3	6	6	0	1	3	2	2	A	B
	PED 500 MORTICE CROSS BAR	LITE1E+ CF32 95	3	7	6	B	1	3	2	2	A	C
	PED 700 MORTICE PUSH BAR	QUICK 1E + 2035T/2037F/4039T	3	7	6	B	1	3	2	2	B	A
	PED 700 MORTICE PUSH BAR	QUICK 1E + CF60	3	7	6	B	1	3	2	2	B	A
	PED 700 MORTICE PUSH BAR	QUICK 1E + 2230PA/2240BA	3	6	6	0	1	3	2	2	B	B
	PED 700 MORTICE PUSH BAR	QUICK1E + CF32 65	3	7	6	B	1	3	2	2	B	C
	PED 700 MORTICE PUSH BAR	QUICK1E + CF32 95	3	7	6	B	1	3	2	2	B	C

First issued on 2013-07-01  
Modified on 2020-12-15  
Validity date 2021-07-01

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.  
Génova, 6. 28004 Madrid. España  
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: 1/C-PR356