



V 3025

TREZOR TEST s.r.o.
Na Vršku 67, 250 67 Klecany

CERTIFIKAČNÍ ORGÁN č. 3025
AKREDITOVANÝ ČESKÝM
INSTITUTEM PRO AKREDITACI, o.p.s.

CERTIFIKÁT SHODY

Evidenční číslo: TT – 132/2015

pro

ASSA ABLOY Czech & Slovakia, s.r.o.
Strojnická 633, 516 01 Rychnov nad Kněžnou

NA VÝROBEK Zadlabací samozamykací zámek mechanický
(identifikace): typ FAB SZ92/90, FAB SZS92/90
Zadlabací samozamykací zámek elektromechanický
typ FAB SZLE92/90, FAB SZLES92/90
Zadlabací samozamykací zámek elektromotorický
typ FAB MZME92/90, FAB MZMES92/90
včetně odvozených variant – viz příloha č. 1
výrobce ASSA ABLOY Czech & Slovakia, s.r.o.,
Strojnická 633, 516 01 Rychnov nad Kněžnou
CZ-CPA 25.72.13

KLASIFIKACE Předmětný výrobek podle certifikačního schématu 5 ČSN EN ISO/IEC
(výrobku): 17067:2014

Vyhověl

Stanoveným podmínkám pro klasifikaci podle ČSN EN 179:2008 kap. 7
následovně

3	6	5	B	1	3	2	2	A	D
---	---	---	---	---	---	---	---	---	---

Certifikát je vydán v rozsahu akreditace udělené osvědčením č. 431/2014 vydaným ČIA
dne 30. června 2014 na základě certifikačního protokolu č. C 24/2015

Předseda Certifikační rady COV č. 3025
Ing. Oldřich UHLÍŘ

Místopředseda Certifikační rady COV č. 3025
Ing. Daniela ČÍŽKOVÁ

Datum vydání: 12. 03. 2015

Datum účinnosti: 12. 03. 2015

Platnost dokumentu do: 12. 03. 2018

Tento certifikát shody se smí používat a rozmnožovat pouze nezměněn.

Certifikační orgán č. 3025
společnosti TREZOR TEST s r.o.
Na Vršku 67, Klecany

Příloha č. 1 je nedílnou součástí
CERTIFIKÁTU č. TT – 132/2015
Počet listů 1 List číslo 1

Zadlabací samozamykací zámek mechanický
typ FAB SZ92/90, FAB SZS92/90
Zadlabací samozamykací zámek elektromechanický
typ FAB SZLE92/90, FAB SZLES92/90
Zadlabací samozamykací zámek elektromotorický
typ FAB MZME92/90, FAB MZMES92/90
včetně odvozených variant
SZ - samozamykací zámek – backset 35 mm
MZ - motorový zámek samozamykací – backset 35 mm
S - široký – backset 55 mm
L - levý
P - pravý
E - po sepnutí elektromagnetické cívky – odemčení zámku
D - po sepnutí elektromagnetické cívky – odemčení zámku, akustická a vizuální signalizace
V - blokáce obou klik, po sepnutí elektromagnetické cívky – odemčení zámku
W - blokáce obou klik, po sepnutí elektromagnetické cívky – odemčení zámku, akustická a vizuální signalizace, signalizace stavu zámku
R - reverzní – po sepnutí elektromagnetické cívky – uzamčení zámku, možno u všech typů zámků E, D, M, V, W. Všechny zámky v tomto provedení jsou bez akustické signalizace
ME - zámek je odemčen po obdržení elektrického impulzu, vizuální signalizace
MM - zámek je odemčen po obdržení elektrického impulzu, vizuální signalizace, signalizace stavu zámku
„A“ až „Z“ – rozměrové a vzhledové kombinace bez vlivu na jejich konstrukci a jejich kombinace

V Klecanech 12.3.2015



TREZOR TEST s.r.o.
Na Vršku 67, Klecany

CERTIFICATION BODY No. 3025
ACCREDITED BY
THE CZECH ACCREDITATION INSTITUTE

CERTIFICATE OF CONFORMITY

Evidence number: TT- 132/2015
for

ASSA ABLOY Czech&Slovakia s.r.o.
Dolnoměcholupská 1418/12, 110 00 Praha 10

**PRODUCT
(identification):**

Mortise lock self-locking mechanical
type FAB SZ92/90, FAB SZS92/90
Mortise lock self-locking electromechanical
type FAB SZLE92/90, FAB SZLES92/90
Mortise lock self-locking electromotive
type FAB MZME92/90, FAB MZMES92/90
including derived variants see Annex no. 1
Manufacturer: ASSA ABLOY Czech & Slovakia s.r.o.
Strojnická 633, 516 01 Rychnov nad Kněžnou
CZ-CPA 25.72.13

**CLASSIFICATION
(of the product):**

The product in accordance with the certification schema 5 ISO/IEC 17067:2013

obliged

EN 179:2008 Building Hardware - Emergency exit devices operated by a lever handle or push pad, for
use on escape routes - Requirements and test methods

3	6	5	B	1	3	2	2	A	D
---	---	---	---	---	---	---	---	---	---

The certificate is issued on the basis of the certification report no. C 24/2015
within the accreditation according to the certificate no. 363/2011 of 13 September 2011 issued by the Czech Accreditation Institute.

Chairman of the Certification board
CO No. 3025
Ing. Oldřich UHLÍŘ

Deputy chairman of the Certification board
CO No. 3025
Ing. Daniela ČÍŽKOVÁ



Date of issue: 12.03.2015

Date effective: 12.03.2015
Valid till: 12.03.2018

This certificate can be used and duplicated only unchanged and with all appendices.

Certification body No. 3025
Company TREZOR TEST s.r.o.
Na Vršku 67, Klecany

Appendix 1 is an integral part of
the certificate no. TT-132/2015
Page: 1 / 1

Mortise lock self-locking mechanical
type FAB SZ92/90, FAB SZS92/90
Mortise lock self-locking electromechanical

type FAB SZLE92/90, FAB SZLES92/90
Mortise lock self-locking electromotive
type FAB MZME92/90, FAB MZMES92/90

including the derived variant

SZ - self-locking lock - 35 mm backset

MZ - motor lock selflock - basket 35 mm

S - With wide - basket 55 mm

L - left

P - right

E - after solenoid coil - lock-out

D - after solenoid coil - unlocking the door, acoustic and visual signals

V - The blocking of both handles, after solenoid coil - lock-out

W - blocking both handles, after solenoid coil - unlocking the door, acoustic and visual alarm,
alarm lock status

R - reverse - after solenoid coil - lock lock possible for all types of locks E, D, M, V, W. All
locks in this embodiment are without acoustic signaling

ME - lock is unlocked after receiving an electrical impulse, visual alarm

MM - lock is unlocked after receiving an electrical impulse, visual alarm, alarm lock status

"A" až "Z" – visual and dimensional modifications without affecting their construction

And combinations

Klecany, March 12, 2015